



Amtryke Therapeutic Tricycle Request Form

(Must be filled out completely by adult rider or parent/guardian)

Recipient's Name: _____ Age: _____ Date of Request: _____
Mailing Address: _____ Phone #: _____
City/State/Zip: _____ Email: _____
Diagnosis: _____

If Recipient is Under Age 18

Parent/Guardian Name: _____
If different from above
Mailing Address: _____ Phone #: _____
City/State/Zip: _____ Email: _____

Secondary Contact Name: _____ Phone #: _____

Treating Therapist's Name: _____
Phone #: _____ Email: _____

How did you hear about the Amtryke Therapeutic Tricycle? (Check all that apply)

Therapist Website AMBUCS Member Other: _____

Will you need financial assistance to obtain the tricycle? Yes No

If yes, how much can you pay? _____

Note: Amtryke therapeutic tricycles are distributed based on available funds and need. Individual placements of Amtryke therapeutic tricycles are at the discretion of the local chapter or parent organization.

Tell us about the recipient*: _____

*This information will be made public to help obtain funding. Please don't include information you don't want shared.

Including a photo of the recipient will help us obtain a sponsor to help you pay for the Amtryke more quickly. Digital images preferred but we also accept professionally printed glossy photos. No photocopies or folded images. By including a photo, you are giving consent for AMBUCS to use the image online and in print to help obtain a funding.

Signature: _____ Date: _____

Individuals will not be considered for placement until all three forms are returned to AMBUCS: this form filled out by the recipient/guardian, as well as the Assessment Form and Tryke Selection Form filled out by the therapist.

Please mail, email or fax completed form to your local chapter or the AMBUCS Resource Center
Resource Center: P.O. Box 5127, High Point, NC 27262 Email: wishlist@ambucs.org Fax: 336.852.6830
This Form, the Assessment Form and Tryke Selection Form must be received by your local chapter or the Resource Center before placement is considered.

(800) 838-1845
ambucs.org

Amtryke Therapeutic Tricycle Waiver Form

(Must be filled out completely by adult rider or parent/guardian)

AMBUCS members nationwide are dedicated to creating opportunities for mobility and independence for people with disabilities by providing Amtryke therapeutic tricycles, offering educational scholarships to therapy students and performing various forms of community service.

Purpose: The Amtryke therapeutic tricycle was designed for people with disabilities. It creates a feeling of freedom, builds self-esteem, strengthens muscles and improves motor coordination and range of motion—all while making exercise fun.

Steering: Initially, the rider may have difficulty turning or changing directions. Encourage the rider to go straight ahead, back up and slowly turn around. On many models there are three steering options for the Amtryke. On the front column of the tricycle you will find two holes for the steering pin. The top hole is straight steering, the bottom hole allows a 20-degree turning radius. Leaving the pin out gives the rider free steering.

Safety Cautions

- Fast speeds and sharp turns can cause the Amtryke therapeutic tricycle to tip or turn over.
- Always wear a helmet when riding an Amtryke. Use of other protective gear is highly recommended.
- Adult supervision required if used by younger or developmentally delayed riders.
- Use caution near vehicles, swimming pools and other bodies of water, hills, alleys and sloped driveways.
- Always wear shoes.
- Never allow more than one rider.
- Use of the steering pin is recommended to prevent over-steering or possible tip-overs.

The information contained in this service is not intended nor implied by National AMBUCS™, Inc. to be professional medical advice by National AMBUCS, Inc. Always seek the advice of your physician, therapist or other qualified healthcare provider prior to starting any treatment or with any question you may have regarding a medical condition. Nothing contained in this document is intended by National AMBUCS, Inc. to be for medical diagnosis or treatment by National AMBUCS, Inc. or on behalf of National AMBUCS, Inc.

In no event shall National AMBUCS, Inc. be liable for any direct, indirect, incidental, consequential, special, exemplary, punitive, or any other monetary or other damages, personal injury or property damages, fees, fines, costs, attorney fees, or liabilities of any kind arising out of or relating in any way to this service or use of the Amtryke® therapeutic tricycle, and/or content or information provided herein.

I agree that the rider listed on the front of this document may be photographed. I also agree that the photos and recipient's name may be used in promotional efforts for National AMBUCS, Amtryke or the local AMBUCS chapter. I further grant AMBUCS the ability to use the photos and name for advertising/publicity purposes without additional compensation, except where prohibited by law. If anybody in my party does not want to be photographed under these same terms, I will let the photographer know as soon as possible.

By signing below, I acknowledge that I have read and understood this liability waiver.

Recipient's Name: _____

Adult Recipient Signature: _____

If Recipient is Under Age 18

Legal Guardian Name: _____

Legal Guardian Signature: _____ Date: _____

Individuals will not be considered for placement until all three forms are returned to AMBUCS: this form filled out by the recipient/guardian, as well as the Assessment Form and Tryke Selection Form filled out by the therapist.

Please mail, email or fax completed form to your local chapter or the AMBUCS Resource Center
Resource Center: P.O. Box 5127, High Point, NC 27262 Email: wishlist@ambucs.org Fax: 336.852.6830
This Form, the Assessment Form and Tryke Selection Form must be received by your local chapter or the Resource Center before placement is considered.

(800) 838-1845
ambucs.org

Amtryke Assessment Form

(Must be filled out completely by therapist)


Recipient's Name: _____

Age: _____ Weight (lbs.):* _____ Height (inches):* _____

Diagnosis(es):* _____

*This private information is only used to help appropriately fit the rider.

RIDER'S MEASUREMENTS					
Arm Measurements (inches)					Total Length
Left	A to B:		B to C:		
Right	A to B:		B to C:		
Trunk	A to D:				
Leg Measurements (inches)					Total Length
Left	D to E:		E to F:		
Right	D to E:		E to F:		



A	Center of Shoulder
B	Center of Elbow
C	Center of Digit Crease
D	Center of Hip
E	Center of Knee
F	Bottom of Foot

Arm Length & Leg Length Measurements are critical to correct Amtryke Selection

Sizing Chart is available online:
www.ambucs.org/riders/wish-list/sizing-chart/

Notes on Provided Measurements (if any):

Helmet Sizing

Size	Measurement (head circumference)
XXS	18.5" to 19.5"
XS	20.5" to 22"
S/M	22" to 23.6"
L/XL	23.6" to 25.75"

Therapist Name: _____ Is this the treating therapist? Yes No

Credentials: _____

Phone: _____ Email: _____

Facility Name: _____

Street Address: _____ City: _____ State: _____ Zip: _____

Is this facility an Amtryke Evaluation Site? Yes No Not Sure

Therapist comments concerning recipient or goals:

This request/assessment is directed to:

Local AMBUCS Chapter Name: _____

National Wish List (AMBUCS Resource Center)

By signing below, you are signifying that in your professional opinion this rider would benefit from an Amtryke. You assume no liability.

Therapist Signature: _____ Date: _____

Ship Amtryke To

Name/Facility: _____ Phone: _____

Street Address: _____

City: _____ State: _____ Zip: _____

Please mail, email or fax completed form to your local chapter or the AMBUCS Resource Center
Resource Center: P.O. Box 5127, High Point, NC 27262 Email: wishlist@ambucs.org Fax: 336.852.6830

(800) 838-1845
ambucs.org

This Form, Tryke Selection Form and the Request/Liability Waiver Form must be received by your local chapter or the Resource Center before placement is considered.

Recipient's Name:

Thanks for choosing an Amtryke therapeutic tricycle!

In order to accommodate the widest variety of people and disabilities, Amtryke offers many tryke models and each can be customized in a variety of ways. Following the steps below will help you choose to the perfect tryke for your client from what might seem like a dizzying array of options.

Remember you can always refer to our website, www.amtrykestore.org, or the Amtryke catalogue for more information and product images.

Step 1: Fill out the first page of the Amtryke Assessment Form.

Step 2: Choose the way the tryke will be propelled: **Hand & Foot, Foot, or Hand**. Your choice should be based on the rider's ability and therapy goals.

Hand & Foot trykes improve coordination, strength and range of motion. Using all four extremities helps with weakness in any area, even general weakness, and can positively affect tone.

Foot trykes were developed in response to requests from therapists for a traditional tricycle for riders with special needs.

Hand trykes are designed for persons whose lower limbs lack function or those who need special therapy for the upper extremity.

Step 3: Take rider's measurements from the front of this Assessment Form and compare them to our Sizing Chart. (This will narrow the choices considerably)

Step 4: Choose a drive. (If it doesn't mention a choice, then ignore this step.)

Amtrykes come with two drive possibilities: **fixed** drive or **geared** drive. Tryke models have been carefully designed so the drive matches the therapeutic goals of the equipment; therefore all drives are not available on all trykes.

A **fixed** drive, commonly known as a 'fixie,' works on a mechanical level to help individuals make a full pedal rotation. The foot crank is constantly in motion for full therapeutic effect. Coasting is not possible with a positive drive; when limb motion stops, the bike does as well.

Riders of **geared** drive trykes must be able to make a complete pedal rotation on their own. This tryke is suitable for riders who need help with balance and a stable sitting position and who have the cognitive ability to steer successfully and apply the coaster brake or hand brake. The key feature of geared trykes is the ability to coast.

Step 5: Chose any adaptations and/or accessories needed by the rider. *Each tryke model can only be customized in the ways noted in its own model section in the Tryke Selection Forms or with the generic accessories listed below. If a customization option is not listed, it is because of design or other practical constraints in offering it on a particular model.*

GENERIC ACCESSORIES (not model specific)			
Fun Items	<input type="checkbox"/> License Plate	<input type="checkbox"/> Water Bottle w Cage	<input type="checkbox"/> Mirror
Leg & Foot Items	<input type="checkbox"/> Foot Cups (pair): <input type="checkbox"/> Small <input type="checkbox"/> Medium	<input type="checkbox"/> Knee Adductor Strap: <input type="checkbox"/> Small <input type="checkbox"/> Large <input type="checkbox"/> Medium	<input type="checkbox"/> Pedal Block (1 = 3/4") _____ qty
Hand Items	<input type="checkbox"/> Variable Range of Motion Kit <i>(only for Hand & Foot Cycles)</i>	<input type="checkbox"/> Wrist Wraps <i>(Includes right & left)</i> <input type="checkbox"/> X-Small <input type="checkbox"/> Large <input type="checkbox"/> Small <input type="checkbox"/> Medium	<input type="checkbox"/> Wrist Brace Mitt: <input type="checkbox"/> Right <input type="checkbox"/> Left <input type="checkbox"/> XX-Small <input type="checkbox"/> Medium <input type="checkbox"/> X-Small <input type="checkbox"/> Small

Recipient's Name:

FOOT TRYKES

1410 FOOT TRYKE – (10" wheels, fixed drive) **50-FC-0100** Arm Length 12-20", Leg Length 15-21"

NEW: Standard with Rear Steering (can convert to push bar) and safety flag

Option #1 – Standard Seating System: Blue Bucket Seat

Option #2 – Alternate Seating System: Snappy Seat System

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest
 Notched Wide Bottom Cushion* XL Seat Back**

Option #3 – Alternate Seating System: OLD Blue Bucket Seat**

*(Less expensive option for very small riders. **Cannot** be used with an H-Harness or Separator Cube.)*

1410 Accessories: Separator Cube Pull/Steering Bar H-Harness - 11.5"
 Heavy-Duty Push Bar – *for use with notched seats*

1412 ProSeries FOOT TRYKE (12" wheels, fixed drive) – **50-FC-1412** Arm Length 16-24", Leg Length 23-28"

NEW: Standard with Rear Steering (can convert to push bar), Medium Pommel Saddle Seat and safety flag

Option #1 – Standard Seating System: Medium Pommel Saddle Seat/1600 Simple Seatback

Seat Bottom Alternates: Bench Seat Large Pommel Saddle Seat Saddle Seat Skinny Saddle Seat (8.5x6")

Option #2 – Alternate Seating System: 1400 ProSeries Seat Back System (push grip, backpad, med. pommel & 2 laterals)

Seat Bottom Alternates: Bench Seat Large Pommel Saddle Seat Saddle Seat Skinny Saddle Seat (8.5x6")

Trunk Support Options: ProSeries Full Padded Back ProSeries Head Rest ProSeries Lumbar Pad
 Recumbent 10 Degree Seat Post

Option #3 – Alternate Seating System: Gray Bucket Seat

Option #4 – Alternate Seating System: Snappy Seat System *(too small for many 1412 riders; check seat measurements.)*

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest
 Notched Wide Bottom Cushion* XL Seat Back** Separator Cube

1412 Accessories: Pull/Steering Bar Pedal Toe Pulley H-Harness - 11.5"
 Solid Tires Front Hand Brake Kit (cannot be used with Rear Steering)
 ½" Expanding Pedals Hi-Rise Handlebars: 5" (BMX) 8" ½" Exercise Pedals
 Heavy-Duty Push Bar Knee Separator: 2" 5" 9" Extender Tube

*cannot be used in conjunction with rear steering. **cannot be used in conjunction with an h-harness, head rest or laterals.

NEW! High Functioning Set Up (Both Options Allow Coasting) Can be used with 1416, 1420, 1420XL

(Rider must have the ability to steer, apply brake and make a complete pedal rotation on their own.)

Comes Standard with Pommel Saddle Seat (1412 – M; 1416 & 1420 – L), 1600 Simple Seat Back, Hi-Rise Handlebars, Exercise pedals and safety flag. MUST choose Option 1 or 2.

Choose Tryke: 1416 1420 1420XL

Option #1: (switch to existing freewheel hub and add Disk Brake Kit - *necessary* for safety) Adds the ability to coast

Dual Hand Brake (Option 1 only)

Option #2: (3-Speed Kit and coaster brake) Adds the ability to coast and switch gears for hilly terrain – *Replaces the 1600 Series*

Standard Seating System (for either option): Pommel Saddle Seat/1600 Simple Seat Back

Seat Bottom Alternates: Bench Seat Tractor Seat with bracket Regular Saddle (11x9")

Medium Saddle (10.5x10") Large Saddle (13x12")

Adaptive Accessories: ½" Expanding Pedals Telescoping Loop Handlebars 1400 Seat Back Set (w/ laterals)

Recipient's Name:

FOOT TRYKES

1416 ProSeries FOOT TRYKE (16" wheels, fixed or freewheel drive) – **50-FC-1416** Arm Length 16-24", Leg Length 26-32"

NEW: Standard with Medium Pommel Saddle Seat and safety flag

Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, med. pommel & 2 laterals)

Seat Bottom Alternates: Bench Seat Tractor Seat with bracket Large Pommel Saddle Seat Saddle Seat

Trunk Support Options: ProSeries Full Padded Back ProSeries Head Rest ProSeries Lumbar Pad
 Recumbent 10 Degree Seat Post

Option #2 – Alternate Seating System: Medium Pommel Saddle Seat/1600 Simple Seat Back

Seat Bottom Alternates: Bench Seat Tractor Seat with bracket Large Pommel Saddle Seat Saddle Seat

Option #3 – Alternate Seating System: Gray Bucket Seat

1416 Accessories: Pull/Steering Bar Pedal Toe Pulley H-Harness - 11.5"
 Rear Steering Kit Calf & Leg Supports ½" Exercise Pedals
 Hi-Rise Handlebars: 8" 12" Solid Tires
 Heavy-Duty Push Bar Knee Separator: 2" 5" 9" extender tube

1420 ProSeries FOOT TRYKE (20" wheels, fixed or freewheel drive) – **50-FC-1420** Arm Length 20-30", Leg Length 29-35"

NEW: Standard with Large Pommel Saddle Seat and safety flag

Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, large pommel & 2 laterals)

Seat Bottom Alternates: Bench Seat Tractor Seat w/ bracket Medium Pommel Saddle Seat Saddle Seat

Trunk Support Options: ProSeries Head Rest ProSeries Full Padded Back ProSeries Lumbar Pad
 Recumbent 10 Degree Seat Post

Option #2 – Alternate Seating System: Large Pommel Saddle Seat/1600 Simple Seatback

Seat Bottom Alternates: Bench Seat Tractor Seat w/ bracket Medium Pommel Saddle Seat Saddle Seat

Option #3 – Alternate Seating System: Gray Bucket Seat

1420 Accessories: Pull/Steering Bar Pedal Toe Pulley H-Harness - 11.5"
 Rear Steering Kit Calf & Leg Supports ½" Exercise Pedals
 12" Hi-Rise Handlebars Solid Tires
 Heavy-Duty Push Bar Knee Separator: 2" 5" 9" extender tube

1420XL ProSeries FOOT TRYKE (20" wheels, fixed/freewheel drive) – **50-FC-1420-XL** Arm Lgth 22-34", Leg Lgth 30-45"

NEW: Standard with Large Pommel Saddle Seat and safety flag

Option #1 – Standard Seating System: 1400 ProSeries Seat Back System (push grip, backpad, large pommel & 2 laterals)

Seat Bottom Alternates: Bench Seat Tractor Seat w/ bracket Medium Pommel Saddle Seat Saddle Seat

Trunk Support Options: ProSeries Head Rest ProSeries Full Padded Back ProSeries Lumbar Pad
 Recumbent 10 Degree Seat Post

Option #2 – Alternate Seating System: Large Pommel Saddle Seat/1600 Simple Seat Back

Seat Bottom Alternates: Bench Seat Tractor Seat w/ bracket Medium Pommel Saddle Seat Saddle Seat

Option #3 – Alternate Seating System: Large Wheelchair Seat

Wheelchair Seat Accessories: Wheelchair Seat Bar Ends Swing Away Arms

1420 XL Accessories: Pull/Steering Bar Toe Pedal Pulley H-Harness - 11.5"
 Rear Steering Kit Calf & Leg Supports ½" Exercise Pedals
 Hi-Rise Handlebars 12" 23"
 Heavy-Duty Push Bar Knee Separator: 2" 5" 9" extender tube

Recipient's Name: _____

FOOT TRYKES

JT-2000 FOOT TRYKE (Recumbent 14-Speed) – **50-FC-2000** (advanced riders only) Arm Length 20-28", Leg Length 30-41"

JT-2000 Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Basket Rearview Mirror

JT-2300-USS FOOT TRYKE (Recumbent 14-Speed with **Under Seat Steering**) – **50-FC-2300-USS** (advanced riders only)

Arm Length 20-28", Leg Length 30-41"

JT-2300-USS Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals Digital Speedometer
 Dual Hand Brake Toe Clips Basket Rearview Mirror

TP-3000 TADPOLE FOOT TRYKE (Recumbent 21-Speed) – **50-FC-3000** (advanced riders only) Arm Length 17-29",

Leg Length 36-45"

Tadpole Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals
 Dual Hand Brake Toe Clips Rearview Mirror

Therapist Assembly Notes or Comments (if any):

Therapist Assembly Notes or Comments (if any):

Recipient's Name:	
--------------------------	--

HAND TRYKES

<input type="checkbox"/> AM-10 HAND TRYKE (12" wheels, 2.5" crank arms & permanent foot platform) 50-HFC-0105 Arm length 13-17" New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.									
<input type="checkbox"/> Option #1 – Standard Seating System: Blue Bucket Seat									
<input type="checkbox"/> Option #2 – Upgraded Seating System: Snappy Seat System Snappy Seat Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Notched Seat Bottom Cushion*</td> <td><input type="checkbox"/> Laterals</td> <td><input type="checkbox"/> Head Rest</td> </tr> <tr> <td><input type="checkbox"/> Notched Wide Bottom Cushion*</td> <td><input type="checkbox"/> XL Seat Back**</td> <td></td> </tr> </table>				<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest	<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**	
<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest							
<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**								
AM-10 Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Vertical Hand Grips</td> <td><input type="checkbox"/> Pull/Steering Bar</td> <td><input type="checkbox"/> H-Harness - 11.5"</td> </tr> <tr> <td><input type="checkbox"/> Heavy Duty Push Bar (<i>notched seats</i>)</td> <td></td> <td><input type="checkbox"/> Separator Cube</td> </tr> </table>				<input type="checkbox"/> Vertical Hand Grips	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"	<input type="checkbox"/> Heavy Duty Push Bar (<i>notched seats</i>)		<input type="checkbox"/> Separator Cube
<input type="checkbox"/> Vertical Hand Grips	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"							
<input type="checkbox"/> Heavy Duty Push Bar (<i>notched seats</i>)		<input type="checkbox"/> Separator Cube							

<input type="checkbox"/> AM-12Small HAND TRYKE (12" wheels, 3" crank arms & permanent foot platform) 50-HFC-0110 Arm length 15-20" New: Now standard with Saddle Seat, Rear Steering (converts to push bar by inserting pin) and safety flag.									
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat & 1600 Simple Seat Back									
<input type="checkbox"/> Option #2 – Upgraded Seating System: Snappy Seat System Snappy Seat Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Notched Seat Bottom Cushion*</td> <td><input type="checkbox"/> Laterals</td> <td><input type="checkbox"/> Head Rest</td> </tr> <tr> <td><input type="checkbox"/> Notched Wide Bottom Cushion*</td> <td><input type="checkbox"/> XL Seat Back**</td> <td></td> </tr> </table>				<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest	<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**	
<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest							
<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**								
<input type="checkbox"/> Option #3 – Alternate Seating System: Blue Bucket Seat									
AM-12S Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Vertical Hand Grips</td> <td><input type="checkbox"/> Pull/Steering Bar</td> <td><input type="checkbox"/> H-Harness - 11.5"</td> </tr> <tr> <td><input type="checkbox"/> Heavy Duty Push Bar (<i>notched seats</i>)</td> <td></td> <td><input type="checkbox"/> Separator Cube</td> </tr> </table>				<input type="checkbox"/> Vertical Hand Grips	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"	<input type="checkbox"/> Heavy Duty Push Bar (<i>notched seats</i>)		<input type="checkbox"/> Separator Cube
<input type="checkbox"/> Vertical Hand Grips	<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"							
<input type="checkbox"/> Heavy Duty Push Bar (<i>notched seats</i>)		<input type="checkbox"/> Separator Cube							

<input type="checkbox"/> AM-12 HAND TRYKE – (12" wheels, 4" crank arms & permanent foot platform) 50-HC-0210 Arm Length 14-23" New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.										
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Bench Seat</td> <td><input type="checkbox"/> Pommel Saddle Seat</td> <td><input type="checkbox"/> Medium (11.5x10")</td> <td><input type="checkbox"/> Large(14x13")</td> </tr> </table>				<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")			
<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")							
<input type="checkbox"/> Option #2 – Alternate Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Bench Seat</td> <td><input type="checkbox"/> Pommel Saddle Seat</td> <td><input type="checkbox"/> Medium (11.5x10")</td> <td><input type="checkbox"/> Large(14x13")</td> </tr> </table> Trunk Support Options: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> ProSeries Full Padded Back</td> <td><input type="checkbox"/> ProSeries Head Rest</td> <td><input type="checkbox"/> ProSeries Lumbar Pad</td> </tr> </table>				<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")	<input type="checkbox"/> ProSeries Full Padded Back	<input type="checkbox"/> ProSeries Head Rest	<input type="checkbox"/> ProSeries Lumbar Pad
<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")							
<input type="checkbox"/> ProSeries Full Padded Back	<input type="checkbox"/> ProSeries Head Rest	<input type="checkbox"/> ProSeries Lumbar Pad								
<input type="checkbox"/> Option #3 – Alternate Seating System: Gray Bucket Seat										
<input type="checkbox"/> Option #4 – Alternate Seating System: Snappy Seat System Snappy Seat Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Notched Seat Bottom Cushion*</td> <td><input type="checkbox"/> Laterals</td> <td><input type="checkbox"/> Head Rest</td> </tr> <tr> <td><input type="checkbox"/> Notched Wide Bottom Cushion*</td> <td><input type="checkbox"/> XL Seat Back**</td> <td><input type="checkbox"/> Separator Cube</td> </tr> </table>				<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest	<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**	<input type="checkbox"/> Separator Cube	
<input type="checkbox"/> Notched Seat Bottom Cushion*	<input type="checkbox"/> Laterals	<input type="checkbox"/> Head Rest								
<input type="checkbox"/> Notched Wide Bottom Cushion*	<input type="checkbox"/> XL Seat Back**	<input type="checkbox"/> Separator Cube								
AM-12 Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Pull/Steering Bar</td> <td><input type="checkbox"/> H-Harness - 11.5"</td> </tr> <tr> <td><input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"</td> <td><input type="checkbox"/> 9" Extender Tube <input type="checkbox"/> Vertical Hand Grips</td> </tr> </table>				<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" Extender Tube <input type="checkbox"/> Vertical Hand Grips			
<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"									
<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5"	<input type="checkbox"/> 9" Extender Tube <input type="checkbox"/> Vertical Hand Grips									

*cannot be used in conjunction with rear steering. **cannot be used in conjunction with an h-harness, head rest or laterals.

<input type="checkbox"/> AM-16 HAND TRYKE (16" wheels, 5" crank arms & permanent foot platform) 50-HFC-0411 Arm length 18-27" New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.											
<input type="checkbox"/> Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back Seat Bottom Alternates: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Bench Seat</td> <td><input type="checkbox"/> Pommel Saddle Seat</td> <td><input type="checkbox"/> Medium (11.5x10")</td> <td><input type="checkbox"/> Large(14x13")</td> </tr> </table>				<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")				
<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")								
<input type="checkbox"/> Option #2 – Upgraded Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals) Seat Bottom Alternates: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Bench Seat</td> <td><input type="checkbox"/> Padded Tractor Seat</td> <td><input type="checkbox"/> Pommel Saddle Seat</td> <td><input type="checkbox"/> Medium (11.5x10")</td> <td><input type="checkbox"/> Large(14x13")</td> </tr> </table> Trunk Support Options: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> ProSeries Full Padded Back</td> <td><input type="checkbox"/> ProSeries Head Rest</td> <td><input type="checkbox"/> ProSeries Lumbar Pad</td> </tr> </table>				<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Padded Tractor Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")	<input type="checkbox"/> ProSeries Full Padded Back	<input type="checkbox"/> ProSeries Head Rest	<input type="checkbox"/> ProSeries Lumbar Pad
<input type="checkbox"/> Bench Seat	<input type="checkbox"/> Padded Tractor Seat	<input type="checkbox"/> Pommel Saddle Seat	<input type="checkbox"/> Medium (11.5x10")	<input type="checkbox"/> Large(14x13")							
<input type="checkbox"/> ProSeries Full Padded Back	<input type="checkbox"/> ProSeries Head Rest	<input type="checkbox"/> ProSeries Lumbar Pad									
<input type="checkbox"/> Option #3 – Upgraded Seating System: Gray Bucket Seat											
AM-16 Accessories: <table style="width:100%; border:none;"> <tr> <td><input type="checkbox"/> Pull/Steering Bar</td> <td><input type="checkbox"/> H-Harness - 11.5"</td> </tr> <tr> <td><input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" Extender Tube</td> <td><input type="checkbox"/> Vertical Hand Grips</td> </tr> </table>				<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"	<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" Extender Tube	<input type="checkbox"/> Vertical Hand Grips				
<input type="checkbox"/> Pull/Steering Bar	<input type="checkbox"/> H-Harness - 11.5"										
<input type="checkbox"/> Knee Separator: <input type="checkbox"/> 2" <input type="checkbox"/> 5" <input type="checkbox"/> 9" Extender Tube	<input type="checkbox"/> Vertical Hand Grips										

Recipient's Name: _____

HAND TRYKES

<input type="checkbox"/> NEW: 1020 "Junior" HAND TRYKE (20" wheels & 3-Speed drive train) 50-HC-1020 Arm length 19-30"
<input type="checkbox"/> Option #1 – Standard Seating: Small Wheelchair Seat (3.5" narrower in width and depth than the Large) Seat Alternates: <input type="checkbox"/> Large Wheelchair Seat
1020 Accessories: <input type="checkbox"/> Wheelchair Seat Bar Ends <input type="checkbox"/> Swing-Away Arms <input type="checkbox"/> Rearview Mirror

<input type="checkbox"/> 1024 HAND TRYKE – (24" wheels & 3-Speed drive train) 50-HC-1024 Arm length 22-26"
<input type="checkbox"/> Option #1 – Standard Seating: Large Wheelchair Seat (3.5" broader in width and depth than the Small) Seat Alternates: <input type="checkbox"/> Small Wheelchair Seat
1024 Accessories: <input type="checkbox"/> Wheelchair Seat Bar Ends <input type="checkbox"/> Swing-Away Arms <input type="checkbox"/> Rearview Mirror

<input type="checkbox"/> HP-1000 RECREATION HAND TRYKE – (16" front wheel & 7-Speed grip shift) 50-HC-1000 Arm length 22-26"
HP-1000 Accessories: <input type="checkbox"/> Wheelchair Seat Bar Ends <input type="checkbox"/> Swing-Away Arms <input type="checkbox"/> Rearview Mirror

Therapist Assembly Notes or Comments (if any):

Recipient's Name:

HAND-FOOT TRYKES

AM-10 HAND-FOOT TRYKE (10" wheels & 2.5" crank arms) **50-HFC-0105** Arm length 13-17", leg length 15-21"

New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.

Option #1 – Standard Seating System: Blue Bucket Seat

Option #2 – Upgraded Seating System: Snappy Seat System

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest

Notched Wide Bottom Cushion* XL Seat Back**

AM-10 Accessories: AM Toe Pulley Pull/Steering Bar H-Harness - 11.5"

Heavy-Duty Push Bar (*notched seats*) Vertical Hand Grips Separator Cube

AM-12Small HAND-FOOT TRYKE (12" wheels & 3" crank arms) **50-HFC-0110** Arm length 15-20", leg length 19-24"

New: Now standard with Saddle Seat, Rear Steering (converts to push bar by inserting pin) and safety flag.

Option #1 – Standard Seating System: Saddle Seat & 1600 Simple Seat Back

Option #2 – Upgraded Seating System: Snappy Seat System

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest

Notched Wide Bottom Cushion* XL Seat Back**

Option #3 – Upgraded Seating System: Blue Bucket Seat

AM-12S Accessories: AM Pedal Toe Pulley Pull/Steering Bar H-Harness - 11.5"

Heavy-Duty Push Bar (*notched seats*) Vertical Hand Grips Separator Cube

9/16" Exercise pedals Solid Rear Tires

*cannot be used in conjunction with rear steering. **cannot be used in conjunction with an h-harness, head rest or laterals.

AM-12 HAND-FOOT TRYKE (12" wheels & 4" crank arms) **50-HFC-0210** Arm length 14-23", leg length 21-29"

New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.

Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back

Seat Bottom Alternates: Bench Seat Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Option #2 – Upgraded Seating System: ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals)

Seat Bottom Alternates: Bench Seat Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Trunk Support Upgrades: ProSeries Full Padded Back ProSeries Head Rest ProSeries Lumbar Pad

Option #3 – Upgraded Seating System: Gray Bucket Seat

Option #4 – Upgraded Seating System: Snappy Seat System (*too small for many AM-12 riders; check seat measurements.*)

Snappy Seat Accessories: Notched Seat Bottom Cushion* Laterals Head Rest

Notched Wide Bottom Cushion* XL Seat Back** Separator Cube

AM-12 Accessories: AM Pedal Toe Pulley Pull/Steering Bar H-Harness - 11.5"

Knee Separator: 2" 5" 9" Extender Tube Vertical Hand Grips

AM Leg Rests 9/16" Exercise pedals Solid Rear Tires

Please mail, email or fax completed form to your local chapter or AMBUCS Resource Center

Mail: P.O. Box 5127, High Point, NC 27262 Email: wishlist@ambucs.org Fax: 336.852.6830

This form, Request & Liability Waiver Form and Assessment Form must be received before placement is considered.

(800) 838-1845

ambucs.org

Recipient's Name:

AM-16 HAND-FOOT TRYKE (16" wheels & 5" crank arms) **50-HFC-0411** Arm length 18-27", leg length 24-36"
New: Now standard with Rear Steering (converts to push bar by inserting pin) and safety flag.

Option #1 – Standard Seating System: Saddle Seat/1600 Simple Seat Back
Seat Bottom Alternates: Bench Seat Tractor Seat Pommel Saddle Seat Medium (11.5x10") Large(14x13")

Option #2 – Upgraded Seating System: 1400 ProSeries Seat Back System (push grip, backpad, saddle seat & 2 laterals)
Seat Bottom Upgrades: Bench Seat Tractor Seat Pommel Saddle Seat Medium (11.5x10") Large(14x13")
Trunk Support Upgrades: ProSeries Full Padded Back ProSeries Head Rest ProSeries Lumbar Pad

Option #3 – Upgraded Seating System: Gray Bucket Seat

AM-16 Accessories: AM Pedal Toe Pulley Pull/Steering Bar H-Harness - 11.5"
 Knee Separator: 2" 5" 9" Extender Tube AM Leg Rests XL Exercise pedals
 Solid Rear Tires 9/16" Exercise pedals Vertical Hand Grips

AM-20 HAND-FOOT TRYKE (Recumbent Single Speed) – **50-HFC-0610** Arm length 18-30", leg length 32-46"
Tryke is currently being used ONLY for research.


AM-20 Accessories: Exercise Pedals XL Exercise Pedals Expanding Pedals
 Wheelchair Seat Bar Ends Swing Away Arms Calf & Leg Supports (Expanding pedals)

Therapist Assembly Notes or Comments (if any):

Amtryke Sizing Chart

TRYKE TYPE (How will the tryke be propelled?)	RIDER LEG LENGTH (Inches from center of hip to bottom of shoe.)	RIDER ARM LENGTH (Inches from middle of shoulder to center of digit crease.)	MODEL	RIDER WEIGHT (Pounds)	RIDER MAX HEIGHT (Inches)	TRYKE WEIGHT (Pounds)	WHEEL SIZE (Inches)	TTRYKE HEIGHT (inches)	TRYKE LEGNTH (inches)	TRYKE WIDTH (Inches)
Hand & Foot	15-21	13-17	AM-10	55	40	45	10	24	38	21
	19-24	15-20	AM-12S	150	40	45	12	27	38	24
	21-29	14-23	AM-12	150	47	45	12	36	60	32
	24-36	18-27	AM-16	175	66	55	16	36	68	33
	32-46	18-30	AM-20	250	74	80	20	45	72	32
Foot	15-21	12-20	1410	55	40	45	10	24	38	21
	23-28	16-24	1412	125	42	72	12	13	43	27
	26-32	16-24	1416	175	60	74	16	49	58	30
	29-35	20-30	1420	250	68	74	20	50	64	30
	30-45	22-34	1420XL	275	76	89	20	43	72	29
	30-41	20-28	JT-2000/ JT2300USS	250	74	80	20	48	72	32
	36-45	17-29	TP-3000	300	75	47	20	33	63-70	33
Hand	up to 37	19-30	1020	250	67	74	20	41	69	30
	up to 41	22-26	1024	250	72	85	24	45	75	32
	up to 41	22-26	HP-1000	250	74	83	Front 16 Rear 20	45	72	32
All trykes in the Hand & Foot section can be converted to Hand trykes – except the AM-20.										

- A Center of Shoulder
- B Center of Elbow
- C Center of Digit Crease
- D Center of Hip (greater trochanter)
- E Center of Knee
- F Bottom of Foot



RIDER'S MEASUREMENTS	
Arm Measurements (inches) Total Length	
Left	A to B + B to C = _____
Right	A to B + B to C = _____
Trunk	A to D = _____
Leg Measurements (inches) Total Length	
Left	D to E + E to F = _____
Right	D to E + E to F = _____

HELMET SIZING	
Youth Sizes	Head Circumference Inches
XXS	18.5 to 19.5
XS	20.5 to 22
S/M	22 to 23.6
L/XL	23.6 to 25.75
Adult Sizes	Head Circumference Inches
S/M	22 to 23.6
L/XL	23.6 to 25.75